

FIGURE 1

1




FIGURE 2A

	-35	- 10	+ 1	Met	
TTCAAAAATAAACAAA	AGATTTAGAATT <u>G</u> TTTATTTTG ttgaca	GAAAACGTATTTATA <u>A</u> TAG tataat	TACATG <u>T</u> 27	75ntATG	PhaR
TGTATTTGAAAGACCT	TGTTTTAAAGTG <u>T</u> TGACAATTT ttgaca	₹ TTTCATCTAGGTGTA <u>A</u> ATT tataat	ACACAT <u>A</u> 3	39nt TTG	PhaQ
TTTTAGCTCTTCTTCT (SigmaD)	TTCTAAAAAGTC <u>A</u> AAAGAATCA	₹ AAAGAGGAAGAAAAC <u>G</u> ATT ccgata	→ AAAGGG <u>A</u> 16 t	64ntATG	PhaP
•	CTTCTTTGAAAGCTGGGCTTTT	TTATACTTCTTGCAAACC	ATTACC <u>A</u>	79nt ATG	SspD

FIGURE 2B




FIGURE 2C




FIGURE 3




FIGURE 4

pGM16.2

FIGURE 5A




FIGURE 5B




FIGURE 5C




FIGURE 5D



FIGURE SE



FIGURE 5F




FIGURE 6

6




FIGURE 7




FIGURE 8




FIGURE 9

١

Proposed Pathway for Production of PHA C4/C6 Copolymer from Acetyl-CoA

